



SCIENTIFIC PAPERS

Acutis PL, Bossers A, Priem J *et al.* Identification of prion protein gene polymorphisms in goats from Italian scrapie outbreaks. *J Gen Virol* 2006;**87**:1029-33.

Alverson J; O'Rourke KI; Baszler TV. "PrPSc accumulation in fetal cotyledons of scrapie-resistant lambs is influenced by fetus location in the uterus." *J Gen Virol* 2006; **87 (4)**: 1035-41

Amselgruber WM, Steffl M, Didier A *et al.* Prion protein expression in bovine podocytes and extraglomerular mesangial cells. *Cell Tissue Res* 2006; **324(3)**:497-505.

Andreoletti O, Morel N, Lacroux C, Rouillon V *et al.* Bovine spongiform encephalopathy agent in spleen from an ARR/ARR orally exposed sheep *J Gen Virol* 2006; **87**:1043-6.

Asano M, Mohri S, Ironside JW, Ito M, Tamaoki N, Kitamoto T. vCJD prion acquires altered virulence through trans-species infection. *Biochem Biophys Res Commun* 2006; **342(1)**:293-9.

Bade S, Baier M, Boetel T and Frey A. "Intranasal immunization of balb/c mice against prion protein attenuates orally acquired transmissible spongiform encephalopathy." *Vaccine* 2006; **24 (9)**:1242-53

Baron GS, Magalhaes AC, Prado MA and Caughey B. "Mouse-adapted scrapie infection of SN56 cells: Greater efficiency with microsome-associated versus purified PrP-res." *J Virol.* 2006; **80 (5)**: 2106-17

Baszler TV, Kiupel M, Williams ES *et al.* "Comparison of two automated immunohistochemical procedures for the diagnosis of scrapie in domestic sheep and chronic wasting disease in North America white-tailed deer (*Odocoileus virginianus*) and mule deer (*Odocoileus hemionus*)."
J Vet Diagn Invest. 2006;**18 (2)**: 147-55

Bergstrom AL, Jensen TK, Heegaard PM *et al.* Short-term Study of the Uptake of PrP(Sc) by the Peyer's Patches in Hamsters after Oral Exposure to Scrapie. *J Comp Pathol* 2006;**134**(2-3):126-33.

Birkmann E, Schafer O, Weinmann N *et al.* Detection of prion particles in samples of BSE and scrapie by fluorescence correlation spectroscopy without proteinase K digestion. *Biol Chem* 2006;**387**(1):95-102.

Boesenberg C, Schulz-Schaeffer WJ, Meissner B *et al.* "Clinical course in young patients with sporadic Creutzfeldt-Jakob disease." *Ann Neurol.* 2005;**58**(4):533-43

Bradley R. TSE risk assessment for starting materials used during, or in the manufacture of vaccines for human use--a consultant's view of the commercial approach. *Dev Biol (Basel)* 2006;**123**:335-45

Cervenakova L, Yakovleva O and McKenzie C. Protease-resistant prion protein in lymphoreticular tumors of Variant Creutzfeldt-Jakob disease mice. *Emerging Infectious Diseases* 2006; **12**: 511-3.

Couzin J. "The prion protein has good side? You bet." *Science* 2006;**11** (5764): 1091

Dabaghian RH, Barnard G, McConnell I, Clewley JP. "An immunoassay for the pathological form of the prion protein based on denaturation and time resolved fluorometry." *J Virol Methods* 2006;**131** (1-2): 85-91

Espenes A, Press CM, Landsverk T *et al.* Detection of PrP(Sc) in Rectal Biopsy and Necropsy Samples from Sheep with Experimental Scrapie. *J Comp Pathol* 2006;**134**(2-3):115-25.

Gale P. "BSE risk assessments in the UK: a risk tradeoff?" *J Appl Microbiol* 2006; **100** (3):417-27

Gonzalez L, Dagleish MP, Bellworthy SJ *et al.* "Postmortem diagnosis of preclinical and clinical scrapie in sheep by the detection of disease-associated PrP in their rectal mucosa." *Vet Rec* 2006;**158** (10): 325-31

Grobber AH, Steele PJ, Somerville RA and Taylor DM "Inactivation of transmissible spongiform encephalopathy agents during the manufacture of dicalcium phosphate from bone." *Vet Rec* 2006;**158** (11): 361-6

Gubbings S, Clark AM, Eglin RD and Sivam K. "Results of a postal survey of scrapie in the Shetland Islands in 2003." *Vet Rec* 2006;**158** (8): 255-60

Hagenaars TJ, Donnelly CA and Ferguson NM. Epidemiological analysis of data for scrapie in Great Britain. *Epidemiol Infect* 2006;**134**(2):359-67.

Hamir AN, Kunkle RA, Miller JM *et al.* Experimental Second Passage of Chronic Wasting Disease (CWD(mule)(deer)) Agent to Cattle. *J Comp Pathol* 2006 ;**134(1)**:67-73.

Hamir AN, Kunkle RA, Miller JM *et al.* First and second cattle passage of transmissible mink encephalopathy by intracerebral inoculation. *Vet Pathol.* 2006;**43(2)**:118-26.

Ironside JW, Bishop MT, Connolly K *et al.* Variant Creutzfeldt-Jakob disease: prion protein genotype analysis of positive appendix tissue samples from a retrospective prevalence study. *BMJ.* 2006 ; [ahead of print]

Jeffrey M, Martin S, Gonzalez L *et al.* Immunohistochemical Features of PrP(d) Accumulation in Natural and Experimental Goat Transmissible Spongiform Encephalopathies. *J Comp Pathol.* 2006;**134(2-3)**:171-81.

Jouvin-Marche E, Attuil-Audenis V, Aude-Garcia C *et al.* "Overexpression of cellular prion protein induces an antioxidant environment altering T cell development in the thymus." *J Immunol* 2006; **176 (6)**: 3490-7

Johnson CJ, Phillips KE, Schramm PT *et al.* Prions Adhere to Soil Minerals and Remain Infectious. *PLoS Pathog.* 2006;**14;2(4)**: e32

Lewis AM, Yu M, DeArmond SJ, Dillon WP *et al.* Human growth hormone-related iatrogenic Creutzfeldt-Jakob disease with abnormal imaging. *Arch Neurol.* 2006;**63(2)**:288-90.

Muller-Hellwig S, Groschup MH, Pichner R *et al.* "Biochemical evidence for the proteolytic degradation of infectious prion protein PrP^{Sc} in hamster brain homogenates by foodborne bacteria." *Syst Appl Microbiol* 2006;**29 (2)**: 165-71

Nakamitsu S, Miyazawa T, Horiuchi M *et al.* "Sequence variation of bovine prion protein gene in Japanese cattle (Holstein and Japanese Black)." *J Vet Med Sci.* 2006; **68 (1)** 27-33

Nonno R, Bari MA, Cardone F *et al.* Efficient transmission and characterization of creutzfeldt-jakob disease strains in bank voles. *PLoS Pathog.* 2006;**2(2)**:e12.

Peden AH, Ritchie DL, Head MW, Ironside JW. Detection and Localization of PrP^{Sc} in the Skeletal Muscle of Patients with Variant, Iatrogenic, and Sporadic Forms of Creutzfeldt-Jakob Disease. *Am J Pathol.* 2006;**168(3)**:927-35.

Robertson JS "Changes in biological source material." *Biologicals.* 2006; **34 (1)**: 61-3

Roden JA, Nieuwhof GJ, Bishop SC *et al.* "Breeding programmes for TSE resistance in British sheep I: assessing the impact on prion protein (PrP) genotype frequencies." *Prev Vet Med* 2006;**73 (1)**: 1-16

Siso S, Gonzalez L, Houston F *et al.* The neuropathological phenotype of experimental ovine BSE is maintained after blood transfusion. *Blood* 2006 Mar 28; [ahead of print]

Sivam SK, Baylis M, Gravenor MB and Gubbins S. Descriptive analysis of the results of an anonymous postal survey of the occurrence of scrapie in Great Britain in 2002. *Vet Rec* 2006;**158**(15):501-6.

Soto C, Estrada L and Castilla J "Amyloids, prions and the inherent infectious nature of misfolded protein aggregates." *Trends Biochem Sci* 2006;**31** (3): 150-5

Steele AD, Emsley JG, Ozdinler PH *et al.* Prion protein (PrP_c) positively regulates neural precursor proliferation during developmental and adult mammalian neurogenesis. *Proc Natl Acad Sci U S A* 2006;**103**(9):3416-21.

Yamada M "The first Japanese case of variant Creutzfeldt-Jakob disease showing periodic electroencephalogram." *Lancet* 2006; **367** (9513): 874

Yamamoto T, Kobayashi S, Nishiguchi A *et al.* Evaluation of Bovine Spongiform Encephalopathy (BSE) Infection Risk of Cattle via Sewage Sludge from Wastewater Treatment Facilities in Slaughterhouses in Japan. *J Vet Med Sci.* 2006;**68**(2):137-42.

Yu G, Chen J, Yu H *et al.* "Functional disruption of the prion protein gene in cloned goats." *J Gen Virol* 2006; **87** (4): 1019-27

Final Report of a (FVO) mission carried out in the United Kingdom (GB) from 17 to 15 October concerning protective measures against transmissible spongiform encephalopathies (TSEs) in sheep and goats.

Statement of the Scientific Panel on Biological Hazards related to report of the EU TSE Community Reference Laboratory on the recent TSE cases in sheep (updated: 17 March 2006).

Quantitative Assessment of the Residual BSE Risk in Bovine-Derived Products (updated: 09 February 2006)

Opinion of the Scientific Panel BIOHAZ on the "Quantitative assessment of the residual BSE risk posed by di-calcium phosphate (DCP) and tri-calcium phosphate (TCP) from bovine bones used as an animal feed additive or as fertiliser".